


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				DATE	INITIAL	APPROVED
REV	DESCRIPTION					
1	ADDED -1 Ø.668 REFERENCE DIMENSION, ADDED -3 MISSING .95 DIMENSION & DATUM CONTROL FEATURES PER G.E. ADDED RB TO TOOL NO. PER RW.			10/5/2011	RJC	







ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	PLUG	6061	Ø2 X 2-1/8	2
			-3	1	SLEEVE	6061	Ø2-1/4 X 7/8	3
		B/O	-5	2	O-RING	VITON FLUOROELASTOMER	030 MCMaster-CARR #1201T43	1
		B/O	-7	1	O-RING	VITON FLUOROELASTOMER	028 MCMaster-CARR #1201T41	1
		B/O	-15	1	HOSE	RUBBER	1/2 OD X 2' MCMaster-CARR #5405K2	1
		B/O	-9	1	O-RING	VITON FLUOROELASTOMER	015 MCMaster-CARR #1201T26	1
		B/O	-11	1	FITTING	BRASS	1/8 X 1/4 HOSE MCMaster-CARR #91465K11	1
		B/O	-13	1	FITTING	BRASS	1/4 X 1/4 HOSE MCMaster-CARR #91465K91	1

RED BARN MACHINE	
TITLE P3 LEAK CHECK ADAPTER	
DWG NO. RB PWC70797	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	DRAWN BY: GILBERT APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC USED ON MODEL BELL
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	DATE 5/12/2011
SHEET 1 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	ADDED -1 Ø.668 REFERENCE DIMENSION PER G.E.	10/5/2011	RCJ	





SECTION A-A

(-1)
PLUG

RED BARN MACHINE		TITLE	
		P3 LEAK CHECK ADAPTOR	
DWG NO.		REV	
PWC70797-1		1	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: GILBERT	
TOLERANCES ON:		APPROVED: <i>D Weil</i>	
DECIMALS		HEAT TREAT	
.XXX ± .005		FINISH	
.XX ± .01		RED ANODIZE	
.X ± .1		SPEC	
FRACTIONS ± 1/32		MIL-A-8625F, TYPE II, CLASS II	
ANGLES ± 5°		USED ON MODEL	
UNLESS OTHERWISE SPECIFIED		BELL	
1. BREAK ALL SHARP EDGES			
.015 x 45° PR .015 R			
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE	DATE	SHEET 2 OF 3	
1:1	5/12/2011		


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
1	ADDED -3 MISSING .95 DIMENSION & DATUM CONTROL FEATURES PER G.E.	10/5/2011	RJC




2X Ø .079 DROP HOLE



2X .855



DETAIL D
SCALE 2 : 1



SECTION B-B



DETAIL C
SCALE 4 : 1
2 PLACES

③
SLEEVE

NOTE: PIPE FITTING MUST NOT PROTRUDE INTO THE INTERIOR WHEN FULLY THREADED.

RED BARN MACHINE	
P3 LEAK CHECK ADAPTOR	
DWG NO. PWC70797-3	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	
FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
DRAWN BY: GILBERT APPROVED: <i>D Weil</i> HEAT TREAT: RED ANODIZE SPEC: MIL-A-8625F, TYPE II, CLASS II USED ON MODEL: BELL	
SCALE 1:2	DATE 5/12/2011
SHEET 3 OF 3	